FORSPAN ASSESSMENT MODEL FOR CONTINUOUS ACCUMULATIONS--BASIC INPUT DATA FORM (NOGA, Version 9, 2-10-03)

IDENTIFICATION INFORMATION

Assessment Geologist:	M.E. Brownfield					Date:	24-Feb-09
Region:	North America					Number:	5
Province:	Western Oregon	n-Washingt	ton			Number:	5004
Total Petroleum System:	Tertiary Coalbed	l Gas				Number:	500403
Assessment Unit:	Eocene Coalbed	Gas				Number:	50040381
Based on Data as of:	IHS Energy well	data (2008	3)				
Notes from Assessor:							
	CHAR	ACTERIST	ICS OF ASS	ESSMENT UN	IT		
Assessment-unit type: (Dil (<20,000 cfg/bo	o) <u>or</u> Gas ((<u>></u> 20,000 cfg/l	oo), incl. disc. 8	k pot. addition	ons	Gas
What is the minimum tot	al recovery per c	ell?	0.02	(mmbo for oil A	A.U.; bcfg fo	or gas A.U.)	
Number of tested cells:	30						
Number of tested cells with		· · · · · · · · · · · · · · · · · · ·		0			
Established (discovered cells				X			
Median total recovery per	cell (for cells <u>></u> mir	n.): (mmbo	for oil A.U.; b		J.)		
	1st 3rd discove	ered		2nd 3rd		3rd 3rd	
Assessment Hold Books I	11141						
Assessment-Unit Probab	ollities:		Drob	ability of againer	anaa (0.1.0	Λ.	
Attribute	tralaum abarga fa	r on untoot		ability of occurr		11	4.0
 CHARGE: Adequate pe ROCKS: Adequate rese 						m	1.0
2. ROCKS. Adequate rese 3. TIMING: Favorable geo	•				_	11.	1.0
o. Thining. I avolable geo	logic tillling for all	unicoleu c	cen with total i	ecovery <u>></u> min	mum.		1.0
Assessment-Unit GEOLO	OGIC Probability	(Product o	of 1 2 and 3)				1.0
	,	(, , == = -,				-
NO. OF	UNTESTED CEL	LS WITH	POTENTIAL	FOR ADDITIO	NS TO RE	SERVES	
Total assessment-unit	area (acres): (un	certainty of	f a fixed value	e)			
		, ,		,			
calculated mear	11,068,333	minimum	9,905,000	mode <u>1</u>	1,095,000	maximum	12,205,000
O A			LPC (/ -1		- 2 - 1, 1 - 3
Area per cell of unteste	ed cells having pot	tential for a	additions to re	serves (acres):	(values ar	e inherently	variable)
calculated mear	ո 100	minimum	40	mode	80	maximum	180
odiodiated medi	1	minimi				maximam	100
uncertainty of mean	: minimum	60	maximum	140			
			(0/)		.	,	
Percentage of total ass	sessment-unit area	a that is un	itested (%): (uncertainty of a	a fixed value	€)	
calculated mear	ո 100	minimum	100	mode	100	maximum	100
calculated illedi	1 100	minimi	100	mode_	100	Παλιπιαπ	100
			Unit (name, r	,			
	<u>Eo</u>	cene Coal	bed Gas, 500)40381			

NO. OF UNTESTED CELLS WITH POTENTIAL FOR ADDITIONS TO RESERVES (Continued)

4.	Percentage of untested assessment-u (a necessary criterion is that total reco		•		,	,	
	calculated mean 8.7	minimum	1	mode	3.1	maximum _	22
	Geologic evidence for estimates:						
	There are Eocene age coals througho Lowlands, Cowlitz-Spencer, and Coos AU. These areas contain thick coals a Torrent Energy estimates that the Coo of gas at a depth less than 4000 ft.	Bay) that accour and coalbed meth	nt for abou nane is kn	it 18.5 percent own to be pres	of the tota ent in all a	l reas.	
		TOTAL RECO	OVERY PE	R CELL			
	tal recovery per cell for untested cells halues are inherently variable; mmbo for o	• .		s to reserves:			
	calculated mean 0.15	minimum	0.02	median	0.1	maximum _	2
	AVERAGE COPRODUCT	RATIOS FOR UN			SSESS CO	OPRODUCTS	
	l assessment unit: Gas/oil ratio (cfg/bo)	•	inimum	iowii valaco)	mode		maximum
١	NGL/gas ratio (bngl/mmcfg)			_		- -	
	as assessment unit:						_
L	₋iquids/gas ratio (bliq/mmcfg)		0		0		0

Oil assessment unit: API gravity of oil (degre Sulfur content of oil (%) Depth (m) of water (if a	(va es)	ILLARY DATA FOR UNTI lues are inherently variable minimum		maximum
Drilling depth (m)				
minimum ———	F75	mode	F25	maximum ————
Gas assessment unit: Inert-gas content (%) CO ₂ content (%) Hydrogen sulfide content Heating value (BTU) Depth (m) of water (if a	. ,	minimum 0.01 0.01 0.00 850	mode 0.30 1.80 0.00 950	maximum 2.00 8.00 0.00 1050
minimum152	F75	mode 305	F25	maximum 1900
Success ratios: Future success ratio (%) Historic success ratio, tes	calculated mean 28 sted cells (%)	minimum 10	mode 25	maximum 50
Completion practices: 1. Typical well-completion 2. Fraction of wells drille 3. Predominant type of section of wells drille	ed that are typically stimustimulation (none, frac, a		other)	

ALLOCATIONS OF POTENTIAL ADDITIONS TO RESERVES TO STATES Surface Allocations (uncertainty of a fixed value)

1. Oregon	represents	57.42	area % of the	AU
Oil in Oil Accumulations: minir Volume % in entity	num 	mode		maximum
Gas in Gas Accumulations: Volume % in entity		57.42		
2. Washington	represents	42.58	area % of the	AU
Oil in Oil Accumulations: minir Volume % in entity	num 	mode		maximum
Gas in Gas Accumulations: Volume % in entity		42.58		
3	represents		area % of the	AU
Oil in Oil Accumulations: minir Volume % in entity	num 	mode		maximum
Gas in Gas Accumulations: Volume % in entity				
4	represents		area % of the	AU
Oil in Oil Accumulations: minir Volume % in entity	num 	mode		maximum
Gas in Gas Accumulations: Volume % in entity				
· · · · · · · · · · · · · · · · · · ·	represents		- – _area % of the	AU
Volume % in entity		mode	 _area % of the -	AU
Volume % in entity 5. Oil in Oil Accumulations: minir		mode	 _area % of the 	
Volume % in entity 5. Oil in Oil Accumulations: mining Volume % in entity Gas in Gas Accumulations:		mode	area % of the	maximum
Volume % in entity 5. Oil in Oil Accumulations: Volume % in entity Gas in Gas Accumulations: Volume % in entity	num represents	mode	- 	maximum

7		represents		area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
8		represents		area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
9.		represents		area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
10		represents		area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
11		represents		area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
12		represents		area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					

ALLOCATIONS OF POTENTIAL ADDITIONS TO RESERVES TO GENERAL LAND OWNERSHIPS Surface Allocations (uncertainty of a fixed value)

1. Federal Lands		represents	13.49	area % of the	AU
Oil in Oil Accumulations: Volume % in entity	minimum		mode		maximum
Gas in Gas Accumulations: Volume % in entity			13.49		
2. Private Lands		represents	77.64	area % of the	AU
Oil in Oil Accumulations: Volume % in entity	minimum		mode	. <u>-</u>	maximum
Gas in Gas Accumulations: Volume % in entity			77.64		
3. Tribal Lands		represents	0.63	area % of the	AU
Oil in Oil Accumulations: Volume % in entity	minimum		mode		maximum
Gas in Gas Accumulations: Volume % in entity			0.63	. <u>-</u>	
4. Other Lands		represents	0.81	area % of the	AU
Oil in Oil Accumulations: Volume % in entity	minimum		mode	. <u>-</u>	maximum
Gas in Gas Accumulations: Volume % in entity			0.81		
5. OR State Lands		represents	1.99	area % of the	AU
Oil in Oil Accumulations: Volume % in entity	minimum		mode	. <u>-</u>	maximum
Gas in Gas Accumulations: Volume % in entity			1.99		
6. WA State Lands		represents	0.00	area % of the	AU
Oil in Oil Accumulations: Volume % in entity	minimum		mode	. <u>-</u>	maximum
Gas in Gas Accumulations: Volume % in entity			0.00	. <u>-</u>	

7. Offshore Oregon		represents	1.63	area % of the	a AU
Oil in Oil Accumulations: Volume % in entity	minimum		mode		maximum
Gas in Gas Accumulations: Volume % in entity			1.63		
8. Offshore Washington		_represents _	3.79	area % of the	AU
Oil in Oil Accumulations: Volume % in entity	minimum		mode		maximum
Gas in Gas Accumulations: Volume % in entity			3.79		
9		represents		area % of the	AU
Oil in Oil Accumulations: Volume % in entity	minimum		mode		maximum
Gas in Gas Accumulations: Volume % in entity					
10		_represents _		area % of the	AU
Oil in Oil Accumulations:	minimum		mode		maximum
Volume % in entity				-	
Volume % in entity Gas in Gas Accumulations: Volume % in entity					
Gas in Gas Accumulations:		represents		- - _area % of the	· AU
Gas in Gas Accumulations: Volume % in entity	minimum	represents	mode	area % of the	AU maximum
Gas in Gas Accumulations: Volume % in entity 11. Oil in Oil Accumulations:	minimum	represents	mode	area % of the	
Gas in Gas Accumulations: Volume % in entity 11. Oil in Oil Accumulations: Volume % in entity Gas in Gas Accumulations:	minimum	represents	mode	area % of the	maximum
Gas in Gas Accumulations: Volume % in entity 11. Oil in Oil Accumulations: Volume % in entity Gas in Gas Accumulations: Volume % in entity	minimum	- · · · ·	mode	· 	maximum
Gas in Gas Accumulations: Volume % in entity 11. Oil in Oil Accumulations: Volume % in entity Gas in Gas Accumulations: Volume % in entity 12. Oil in Oil Accumulations:		- · · · ·		· 	maximum

ALLOCATIONS OF POTENTIAL ADDITIONS TO RESERVES TO FEDERAL LAND SUBDIVISIONS Surface Allocations (uncertainty of a fixed value)

Bureau of Land Management (BLM)		represents	6.67	_area % of the	a AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity			6.67		
2. BLM Wilderness Areas (BLMW)		_represents _		area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
3. BLM Roadless Areas (BLMR)		_represents _		_area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
National Park Service (NPS)		_represents _	0.76	_area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity			0.76		
5. NPS Wilderness Areas (NPSW)		_represents _		area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
6. NPS Protected Withdrawals (NPSP)		_represents _		_area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					

7. US Forest Service (FS)		represents	5.71	area % of the	AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity			5.71		
8. USFS Wilderness Areas (FSW)		_represents		area % of the	AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
9. USFS Roadless Areas (FSR)		_represents		area % of the	AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
10. USFS Protected Withdrawals (FSP)		_represents		area % of the	AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
11. US Fish and Wildlife Service (FWS)		_represents	0.26	area % of the	AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity			0.26		
12. USFWS Wilderness Areas (FWSW)		represents		area % of the	AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					

13. USFWS Protected Withdrawals (FW	SP)	represents		area % of the	AU
Oil in oil assessment unit: Volume % in entity	minimum		mode	. <u> </u>	maximum
Gas in gas assessment unit: Volume % in entity				. _	
14. Wilderness Study Areas (WS)		_represents		area % of the	AU
Oil in oil assessment unit: Volume % in entity	minimum		mode	. <u> </u>	maximum
Gas in gas assessment unit: Volume % in entity				. <u> </u>	
15. Department of Energy (DOE)		represents		area % of the	AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity				· <u>-</u>	
16. Department of Defense (DOD)		represents	0.08	area % of the	AU
Oil in oil assessment unit: Volume % in entity	minimum		mode	. <u> </u>	maximum
Gas in gas assessment unit: Volume % in entity			0.08		
17. Bureau of Reclamation (BOR)		represents		area % of the	AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
18. Tennessee Valley Authority (TVA)		_represents		area % of the	AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					

19. Other Federal		represents	0.00	area % of the AU
Oil in oil assessment unit: Volume % in entity	minimum	_	mode	maximum ———
Gas in gas assessment unit: Volume % in entity		-	0.00	
20		represents		area % of the AU
Oil in oil assessment unit: Volume % in entity	minimum	_	mode	maximum ———

ALLOCATIONS OF POTENTIAL ADDITIONS TO RESERVES TO ECOSYSTEMS Surface Allocations (uncertainty of a fixed value)

Klamath Mountains (KLMT)		represents	4.44	area % of the	AU
Oil in Oil Accumulations: Volume % in entity	minimum		mode		maximum
Gas in Gas Accumulations: Volume % in entity			4.44		
2. Oregon and Washington Coast Range	es (OWCR)	represents	27.31	_area % of the	AU
Oil in Oil Accumulations: Volume % in entity	minimum		mode		maximum
Gas in Gas Accumulations: Volume % in entity			27.31		
Western Cascades (WCSC)		represents	10.12	area % of the	: AU
Oil in Oil Accumulations: Volume % in entity	minimum	_ ,	mode		maximum
Gas in Gas Accumulations: Volume % in entity			10.12		
4. Willamette Valley and Puget Trough ((WVPT)	represents	52.69	area % of the	: AU
Oil in Oil Accumulations: Volume % in entity	minimum	<u>-</u> .	mode		maximum
Gas in Gas Accumulations: Volume % in entity		_ ,	52.69		
5		represents		_area % of the	AU
Oil in Oil Accumulations: Volume % in entity	minimum		mode		maximum
Gas in Gas Accumulations: Volume % in entity					
6		represents		_area % of the	: AU
Oil in Oil Accumulations: Volume % in entity	minimum		mode		maximum
Gas in Gas Accumulations: Volume % in entity					

7	represents		area % of the AU		
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
8		represents		area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
9.		represents		area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
10		represents		area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
11		represents		area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					
12		represents		area % of the	e AU
Oil in oil assessment unit: Volume % in entity	minimum		mode		maximum
Gas in gas assessment unit: Volume % in entity					